

<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Basic Elements</b>		
Document Type	<HTML> </HTML>	document root element, beginning and end of file
Title	<TITLE> </TITLE>	document title, must be in header
Header	<HEAD> </HEAD>	descriptive info, such as title
Body	<BODY> </BODY>	bulk of the page, notes body of document
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Formatting</b>		
Bold	<B> </B>	bold text style
Italic	<I> </I>	italic text style
Underline	<U> </U>	underlined text (not widely implemented)
Strikeout	<STRIKE> </STRIKE>	strike-through text (not widely implemented)
Strikeout	<S> </S>	strike-through text (not widely implemented)
Subscript	<SUB> </SUB>	subscript numbers (as in chemical formulas)
Superscript	<SUP> </SUP>	superscript numbers (such as exponents)
Typewriter	<TT> </TT>	teletype or mono spaced text
Pre formatted	<PRE> </PRE>	pre formatted text (display text spacing as-is)
Width	<PRE WIDTH=#> </PRE>	width in characters
Center	<CENTER> </CENTER>	centers text and images
Blinking	<BLINK> </BLINK>	blinking text, Netscape only
Font Size	<FONT SIZE=?> </FONT>	local font size(ranges from 1-7)
Change Font Size	<FONT SIZE="+ -?"> </FONT>	controls font size rendered
Font Color	<FONT COLOR="#\$\$\$\$\$\$"> </FONT>	controls font color rendered
Select Font	<FONT FACE="****"> </FONT>	the style of the text, such as Times New Roman
Point size	<FONT POINT-SIZE=#> </FONT>	the size of the text
Weight	<FONT WEIGHT=?> </FONT>	used to specify weight or thickness of text
Base Font Size	<BASEFONT SIZE=#>	size of font (from 1-7; default is 3)
Marquee	<MARQUEE> </MARQUEE>	scrolling text (IE only)
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Links</b>		
Link Something	<A HREF="URL"> </A>	links text or graphic to another URL
Link to Location	<A HREF="URL#****"> </A>	links text or graphic to an anchor (bookmark) in another document
Link to Location in Current Page	<A HREF="#****"> </A>	links text or graphic to an anchor (bookmark) in current document
Target Window	<A HREF="URL" TARGET="****"> </A>	links text or graphic to a URL in a new browser widow
Action on Click	<A HREF="URL" ONCLICK="****"> </A>	takes effect when user clicks on the item (Javascript)
Mouseover Action	<A HREF="URL" ONMOUSEOVER="****"> </A>	takes effect when user moves pointer over item
Mouse out Action	<A HREF="URL" ONMOUSEOUT="****"> </A>	takes effect when user moves the pointer away from item
Link to Email	<A HREF="mailto:***@***.com"> </A>	creates blank e-mail to indicated address with visitor's default e-mail client

Specify Subject	<A HREF="mailto:***@***.com ?SUBJECT=***"> </A>	fills out subject line in visitors e-mail(use a real question mark)
Define Location	<A NAME="***"> </A>	indicates an anchor (bookmark) name and location in a document
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Graphics and Sound</b>		
Display Image	<IMG SRC="URL">	displays image from the indicated URL
Alignment	<IMG SRC="URL" ALIGN=TOP BOTTOM MIDDLE LEFT RIGHT>	aligns the image
Alternate	<IMG SRC="URL" ALT="***">	displays the name/ description of image if image not displayed
Dimensions	<IMG SRC="URL" WIDTH=? HEIGHT=?>	the dimensions, in pixels, of the image
Dimensions %	<IMG SRC="URL" WIDTH=% HEIGHT=%>	dimensions as percentage of page width/height
Border	<IMG SRC="URL" BORDER=?>	border, in pixels, around the image
Image map	<IMG SRC="URL" ISMAP>	linking of a portion of an image (requires a script)
Movie Clip	<IMG DYN SRC="***" START="***" LOOP=?>	insert movie clip
Background Sound	<BGSOUND SRC="***" LOOP=? INFINITE>	insert sound clip
Embed Object	<EMBED SRC="URL">	insert object into page
Object Size	<EMBED SRC="URL" WIDTH=? HEIGHT=?>	size, in pixels of embedded object
Object	<OBJECT> </OBJECT>	embedded object
Parameters	<PARAM>	named property value
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Dividers</b>		
Paragraph	<P> </P>	paragraph (closing tag often unnecessary)
Align Text	<P ALIGN=LEFT CENTER RIGHT> </P>	aligns paragraph
Justify Text	<P ALIGN=JUSTIFY> </P>	justify's paragraph's text
Line Break	 	a single carriage return
Horizontal Rule	<HR>	horizontal line
Alignment	<HR ALIGN=LEFT RIGHT CENTER>	alignment of horizontal line
Thickness	<HR SIZE=?>	thickness, in pixels, of horizontal line
Width	<HR WIDTH=?>	width, in pixels, of horizontal line
Width Percent	<HR WIDTH="%">	width(as a percentage of page width), in pixels, of horizontal line
Solid Line	<HR NOSHADE>	horizontal line without the 3D cutout look
No Break	<NOBR> </NOBR>	prevents line breaks
Word Break	<WBR>	where to break a line if needed
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Structural Elements</b>		
Heading	<H?> </H?>	document header, the ? defines 6 levels (#'s 1-6)
Division	<DIV> </DIV>	generic style container
Defined Content	<SPAN> </SPAN>	generic style container
Block Quote	<BLOCKQUOTE> </BLOCKQUOTE>	long quotation block, usually indented

Quote	<Q> </Q>	short quotations
Emphasis	<EM> </EM>	emphasized text, usually displayed as italic
Strong Emphasis	<STRONG> </STRONG>	strongly emphasized text, usually displayed as bold
Citation	<CITE> </CITE>	citation, usually italics
Code	<CODE> </CODE>	for source code listings
Sample Output	<SAMP> </SAMP>	sample program output
Keyboard Input	<KBD> </KBD>	text that should be entered by the user
Variable	<VAR> </VAR>	program variable or output
Definition	<DFN> </DFN>	definition, not widely implemented
Address	<ADDRESS> </ADDRESS>	author information
Large Font Size	<BIG> </BIG>	uses a large text size
Small Font Size	<SMALL> </SMALL>	use a small text size
Insert	<INS> </INS>	marks inserted text in a new version
Time of Change	<INS DATETIME=":"> </INS>	marks time of addition
Comments	<INS CITE="URL"> </INS>	comments on the additions in a new version
Delete	<DEL> </DEL>	marks deletions in a new version
Time of Change	<DEL DATETIME=":"> </DEL>	time of deletion in document
Comments	<DEL CITE="URL"> </DEL>	comments about the deletion
Acronym	<ACRONYM> </ACRONYM>	acronyms
Abbreviation	<ABBR> </ABBR>	abbreviation

TITLE	TAG	DESCRIPTION
-------	-----	-------------

### Backgrounds

Tiled Background	<BODY BACKGROUND= "URL">	causes the image to tile as the background of the page
Watermark	<BODY BGPROPERTIES= "FIXED">	static image which remains in the same location as visitors scroll
Background Color	<BODY BGCOLOR= "#\$\$\$\$\$\$">	solid background color of the page
Text Color	<BODY TEXT= "#\$\$\$\$\$\$">	color of the text throughout the page
Link Color	<BODY LINK= "#\$\$\$\$\$\$">	color of all links throughout the page
Visited Link	<BODY VLINK= "#\$\$\$\$\$\$">	color of all links that have already been clicked on by visitor
Active Link	<BODY ALINK= "#\$\$\$\$\$\$">	color of link while being selected

TITLE	TAG	DESCRIPTION
-------	-----	-------------

### Lists

Unordered List	<UL> <LI> </UL>	list with bulleted items
List Item	<LI> </LI>	indicates an item on the list
Bullet Type	<UL TYPE=DISC CIRCLE SQUARE>	shape of bullet for the whole list
Bullet Type	<LI TYPE=DISC CIRCLE SQUARE>	shape of bullet for specific list item
Ordered List	<OL> <LI> </OL>	numbered list
Numbering Type	<OL TYPE=A a I i 1>	type of numbering for the whole list
Numbering Type	<LI TYPE=A a I i 1>	type of numbering for specific list item
Starting Number	<OL START=?>	starting number for list
Starting Number	<LI VALUE=?>	starting number for this & subsequent items

Definition List	<DL> </DL>	a list of definitions
Definition Term	<DT> </DT>	definition term
Definition	<DD> </DD>	definition of a term
Menu List	<MENU> </MENU>	display menu type list
Directory List	<DIR> </DIR>	directory link
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Tables</b>		
Define Table	<TABLE> </TABLE>	signals the beginning of a table
Table Alignment	<TABLE ALIGN= LEFT RIGHT CENTER>	aligns the table within the browser window
Table Border	<TABLE BORDER> </TABLE>	table border either on or off
Table Border	<TABLE BORDER=?> </TABLE>	border of table, you can set the value (aka width)
Cell Spacing	<TABLE CELSPACING=?>	places specific amount of space between the individual cells within a table
Cell Padding	<TABLE CELLPADDING=?>	places specific amount of space between the cells border and its contents
Desired Width	<TABLE WIDTH=?>	width of table in pixels
Width Percent	<TABLE WIDTH=%>	width of table in percentage of page
Table Color	<TABLE BGCOLOR="#\$\$\$\$\$\$"> </TABLE>	overall background color of table
Table Frame	<TABLE FRAME= VOID  ABOVE  BELOW  HSIDES  LHS  RHS VSIDES BOX BORDER> </TABLE>	controls how the border around the outside edge of the table is displayed
Table Rules	<TABLE RULES= NONE  GROUPS  ROWS COLS ALL> </TABLE>	controls the vertical and horizontal lines displayed
Border Color	<TABLE BORDERCOLOR="#\$\$\$\$\$\$"> </TABLE>	the color of the table border
Table Row	<TR> </TR>	table row
Alignment	<TR ALIGN= LEFT  RIGHT  CENTER  MIDDLE  BOTTOM>	alignment of the table row
Table Cell	<TD> </TD>	specific table cell, must appear within table rows
Alignment	<TD ALIGN= LEFT RIGHT CENTER VALIGN= TOP MIDDLE BOTTOM>	alignment of the table cell
No Line Breaks	<TD NOWRAP>	no line breaks within the table cell
Columns to Span	<TD COLSPAN=?>	identifies the the number of columns the cell should span
Rows to Span	<TD ROWSPAN=?>	identifies the the number of rows the cell should span
Desired Width	<TD WIDTH=?>	width of cell in pixels
Width Percent	<TD WIDTH="%">	width of cell as percentage of table
Cell Color	<TD BGCOLOR="#\$\$\$\$\$\$">	background color of table cell
Header Cell	<TH> </TH>	table cell for header information (bold & centered)
Alignment	<TH ALIGN= LEFT  RIGHT  CENTER  MIDDLE BOTTOM>	alignment of the header cell
No Line Breaks	<TH NOWRAP>	no line breaks within the header cell
Columns to Span	<TH COLSPAN=?>	identifies the number of columns the header cell should span

Rows to Span	<TH ROWSPAN=?>	identifies the number of rows the header cell should span
Desired Width	<TH WIDTH=?>	width of header cell in pixels
Width Percent	<TH WIDTH="%">	width of header cell as percentage of table
Cell Color	<TH BGCOLOR="#\$\$\$\$\$\$">	background color of header cell
Table Body	<TBODY>	identifies the specific body section of the table
Table Footer	<TFOOT> </TFOOT>	separates group of cells to serve as footer material for the table (must come before <THEAD>)
Table Header	<THEAD> </THEAD>	separates group of cells to serve as header material for the table
Table Caption	<CAPTION> </CAPTION>	caption for a table
Alignment	<CAPTION ALIGN=TOP BOTTOM LEFT RIGHT>	alignment for the caption of a table
Column	<COL> </COL>	groups column attributes
Columns Spanned	<COL SPAN=?> </COL>	indicates the number of columns spanned
Column Width	<COL WIDTH=?> </COL>	column width in pixels
Width Percent	<COL WIDTH="%"> </COL>	column width as percentage of table
Group Columns	<COLGROUP> </COLGROUP>	groups column structure
Columns Spanned	<COLGROUP SPAN=?> </COLGROUP>	indicates columns spanned in the grouped column structure
Group Width	<COLGROUP WIDTH=?> </COLGROUP>	indicates columns the width of the group of columns in pixels
Width Percent	<COLGROUP WIDTH="%"> </COLGROUP>	indicates columns the width of the group of columns as a percentage of table
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Frames</b>		
Frame Document	<FRAMESET> </FRAMESET>	creates layouts of frames (instead of <BODY>)
Row Heights	<FRAMESET ROWS=,,,> </FRAMESET>	comma separated list of size of each row within the frameset (pixels or %)
Column Widths	<FRAMESET COLS=,,,> </FRAMESET>	comma separated list of size of each column within the frameset (pixels or %)
Borders	<FRAMESET FRAMEBORDER="yes no"> </FRAMESET>	identifies if a frame has a visible border or not
Border Width	<FRAMESET BORDER=?> </FRAMESET>	width of frame border if visible
Border Color	<FRAMESET BORDERCOLOR="#\$\$\$\$\$\$"> </FRAMESET>	color of frame border if visible
Frame Spacing	<FRAMESET FRAMESPACING=?> </FRAMESET>	number of pixels of reserved space between frames
Define Frame	<FRAME>	specific contents of an individual frame
Display Document	<FRAME SRC="URL">	identifies the initial contents of the frame
Frame Name	<FRAME NAME="****" _blank _self _parent _top>	assigns a name to the current frame
Margin Width	<FRAME MARGINWIDTH=?>	distance between content and frame's left and right margins
Margin Height	<FRAME MARGINHEIGHT=?>	distance between content and frame's top and bottom margins
Scroll bar	<FRAME SCROLLING="YES NO AUTO">	controls how the window is or isn't scrolled

Not Re-sizable	<FRAME NORESIZE>	prohibits the document viewer from changing dimensions of the frame
Borders	<FRAME FRAMEBORDER="yes no">	controls whether frame has a border
Border Color	<FRAME BORDERCOLOR="#\$\$\$\$\$\$">	color of border of frame
Unframed Content	<NOFRAMES> </NOFRAMES>	for non-frames browsers
Inline Frame	<IFRAME> </IFRAME>	inline sub window, takes same attributes as FRAME
Dimensions	<IFRAME WIDTH=? HEIGHT=?> </IFRAME>	dimensions of sub window in pixels
Dimensions	<IFRAME WIDTH="%" HEIGHT="%"> </IFRAME>	dimensions of sub window as percentage
<b>TITLE</b>	<b>TAG</b>	<b>DESCRIPTION</b>
<b>Positioning (Netscape Only)</b>		
Multi-Column	<MULTICOL COLS=?> </MULTICOL>	more than one column
Column Gutter	<MULTICOL GUTTER=?> </MULTICOL>	the gutter of the column
Column Width	<MULTICOL WIDTH=?> </MULTICOL>	width of the column
Spacer	<SPACER>	insertion of space
Spacer Type	<SPACER TYPE=HORIZONTAL VERTICAL BLOCK>	type of space inserted
Size	<SPACER SIZE=?>	size of space inserted
Dimensions	<SPACER WIDTH=? HEIGHT=?>	height and width of space inserted
Alignment	<SPACER ALIGN=LEFT RIGHT CENTER>	alignment of spacer
Layer	<LAYER> </LAYER>	ability to view pages using precisely positioned overlapping layers
Name	<LAYER ID="****"> </LAYER>	specifies identifying name of layer
Location	<LAYER LEFT=? TOP=?> </LAYER>	location of layer
Dimensions	<LAYER HEIGHT=? WIDTH=?> </LAYER>	dimensions of the layer
Visible	<LAYER VISIBILITY=SHOW HIDDEN INHERIT> </LAYER>	visibility of the layer
Background	<LAYER BACKGROUND="#\$\$\$\$\$\$"> </LAYER>	the background of the layer
Color	<LAYER BGCOLOR="#\$\$\$\$\$\$"> </LAYER>	the background color of the layer
Inline Layer	<ILAYER> </ILAYER>	a layer within a layer (takes same attributes as LAYER)